

KOC-125/250

Optical Connector One-Click Cleaner



Features

KOC-125

- Simple pushing motion to engage tool
- Audible CLICK to alert the operator when tools is fully engaged
- Over 800+ engagements per unit
- Dry cleaning strand eliminates the need for solvents to be effective
- Crush resistant to over 250N
- Impact resistant to survive drops over 1.5M
- Cleans LC/MU (APC/UPC) and other 1.25mm


KOC-250

- Simple pushing motion to engage tool
- Audible CLICK to alert the operator when tools is fully engaged
- Over 800+ engagements per unit
- Dry cleaning strand eliminates the need for solvents to be effective
- Crush resistant to over 250N
- Impact resistant to survive drops over 1.5M
- Cleans SC/ST/FC/E2000 (APC/UPC) and other 2.5mm


Male connector



LC



SC




FC




ST

Female connector



LC



SC




FC




ST

KOC-125



KOC-250



Product parameter

KOC-125

Name	Optical Connector One-Click Cleaner	Product feature	Economic and efficient
Brand	KOMSHINE	Range of application	MU/LC(APC & UPC)
Size	18mm*18mm*22mm	Cleaning time	>800

KOC-250

Name	Optical Connector One-Click Cleaner	Product feature	Economic and efficient
Brand	KOMSHINE	Range of application	SC/FC/ST/E2000(APC & UPC)
Size	18mm*18mm*22mm	Cleaning time	>800

Product list



HEAD OFFICE

KomShine Technologies Limited

CONTACT US

Add: 2F Bldg. D Qinheng Tech. Pk. Nanjing, JS, 210001, China

TEL: +86 (025) 66047688

www.komshine.com

ventas@komshine.com

* Komshine reserves the right to improve, enhance, or modify the features and specifications of KomShine products without prior notification.

* Company and product names appearing in this catalogue are registered marks or trademarks of respective companies.

* This catalogue is printed using environmentally friendly paper and ink.